


COVERED BRIDGE



INSTRUCTION MANUAL ART-71 01-01

ARISTO-CRAFT TRAINS

050394 REV.

INTRODUCTION

Dear Model Railroader:

Should you have any questions about operation, proper usage, or maintenance required on this or any other ARISTO-CRAFT TRAINS' Model Railroad product, please contact us at the following address:

ARISTO-CRAFT TRAINS 698 SOUTH 21ST STREET IRVINGTON, NJ 07111

FAX: 973-351-9700 EMAIL: aristo@mindspring.com

www.aristocraft.com

PHONE: 973-351-9800

Our phone lines are open from 10:00 AM to 5:00 PM (EASTERN STANDARD TIME) Monday through Friday

Good Railroading!!!!


ASSEMBLY INSTRUCTION

(1) Required before assembly Liquid plastic cement or super-glue

2. Gluing


Apply cement after each step. Let it dry thoroughly.

3. Assembly





1. Place both walls into the bottom plate.






2. Thread door frames through the protruding cross-beams.







3. Place the center as shown




Place all the rest of the rafters keeping attention to the direction of the rafter beams.
(Rafter beams on the right-hand side should face left-hand side and vice versa.)






Snap in both end rafters into the receptacles at the end of the protruding cross-beams.






 Place the roof on top of the rafters after checking they are all uniform and securely glued.
The bump on the end-rafter should be snapped in properly

The bump on the end-rafter should be snapped in properly into a small receptacle provided at the roof.




7. Same as 6.





Secure the top ridge on the roof.
The covered bridge is now completed.
Inspect to see if there are any loose joints and check to see if all pieces are securely fastened.

4. List of parts included



Ridge 1EA

LIMITED WARRANTY

Your new ARISTO-CRAFT TRAINS locomotive, freight/passenger railcar, train-set, or accessory is warranted for 180 days from DATE OF PURCHASE against defects in workmanship and/or materials. Proof of purchase may be required by ARISTO-CRAFT TRAINS.

This warranty is VOID and does not apply to any product and/or parts and components that may have been improperly installed by purchaser/owner, abused or damaged in any way through improper operation such as train derailment, modified, or repaired by unauthorized service centers and/or non-factory authorized technicians.

SERVICING:

Should your ARISTO-CRAFT TRAINS product require warranty service, be sure to take the following steps to assure proper servicing:

- Return product in ORIGINAL BOX, then pack this ORIGINAL BOX in proper shipping carton. If not possible to use original box, only pack product carefully in strong cardboard box, FULLY INSURED and PREPAID. ARISTO-CRAFT TRAINS will not be responsible for any damage or loss incurred during return for servicing.
- Include a brief but thorough explanation of the problem(s) and the service that may be required.
- 3. Be sure to include your name, address (no post office box, please), city, state (or province), country (if outside USA), and postal zipcode along with a daytime telephone number, including Area Code, so that you may be contacted if it becomes necessary. All identification should be both INSIDE package and on OUTSIDE shipping carton/box.
- 4. Include proper payment for shipping/handling -

ACCOMMITTION CURRENT freightshipping COSTOSUS

- with check (written on your USA Bank Account)/Money Order payable in US Dollars (\$) to: Polk's Hobbies. Please DO NOT SEND CASH. If your returned item is out of warranty, you will be contacted with amount of repair cost before repairs are started.
- ***C.O.D. shipping charges are additional cost.***
- 5. Ship your item(s) to:

ARISTO-CRAFT TRAINS 698 SOUTH 21ST STREET IRVINGTON, NJ 07111 PHONE: 973-351-9800 FAX: 973-351-9700 EMAIL: aristo@mindspring.com www.aristocraft.com

 Immediate written confirmation of receipt of returned item(s) will be sent along with estimated repair time/cost by ARISTO-CRAFT TRAINS Service/Repair Department.